




KROM KAPLI MİL

Mil Çapı
Ø Çap
Ø 6 MM
Ø 8 MM
Ø 10 MM
Ø 12 MM
Ø 14 MM
Ø 15 MM
Ø 16 MM
Ø 18 MM
Ø 19 MM
Ø 20 MM
Ø 22 MM
Ø 25 MM
Ø 25,4 MM
Ø 28 MM
Ø 30 MM
Ø 32 MM
Ø 35 MM
Ø 36 MM
Ø 38 MM
Ø 40 MM
Ø 45 MM
Ø 50 MM
Ø 50.8 MM
Ø 55 MM
Ø 56 MM
Ø 60 MM
Ø 63 MM
Ø 63.5 MM
Ø 65 MM
Ø 70 MM
Ø 75 MM
Ø 80 MM
Ø 85 MM
Ø 90 MM
Ø 100 MM
Ø 110 MM
Ø 120 MM

İNDÜKSİYONLU MİL


Mil Çapı
Ø Çap
Ø 6 MM
Ø 8 MM
Ø 10 MM
Ø 12 MM
Ø 14 MM
Ø 15 MM
Ø 16 MM
Ø 18 MM
Ø 19 MM
Ø 20 MM
Ø 22 MM
Ø 25 MM
Ø 25,4 MM
Ø 28 MM
Ø 30 MM
Ø 32 MM
Ø 35 MM
Ø 36 MM
Ø 38 MM
Ø 40 MM
Ø 45 MM
Ø 50 MM
Ø 50.8 MM
Ø 55 MM
Ø 56 MM
Ø 60 MM
Ø 63 MM
Ø 63.5 MM
Ø 65 MM
Ø 70 MM
Ø 75 MM
Ø 80 MM
Ø 85 MM
Ø 90 MM
Ø 100 MM
Ø 110 MM
Ø 120 MM



**** Dünyadaki çelik hammadde fiyatları sürekli değişiklik arz ettiği için lütfen satış servisimizden fiyat teyidi alınız.**

HONLANMIŞ BORULAR

Boru İç/Dış Çapı	Tolerans	Norm
mm x mm	ISO	DIN
Ø 40 X 50	H8	2391/C
Ø 50 X 60	H8	2391/C
Ø 50 X 65	H8	2391/C
Ø 60 X 70	H8	2391/C
Ø 63 X 75	H8	2391/C
Ø 70 X 85	H8	2391/C
Ø 70 X 90	H8	2391/C
Ø 75 X 90	H8	2391/C
Ø 80 X 95	H8	2391/C
Ø 80 X 100	H8	2391/C
Ø 85 X 100	H8	2391/C
Ø 90 X 105	H8	2391/C
Ø 90 X 110	H8	2391/C
Ø 100 X 115	H8	2391/C
Ø 100 X 120	H8	2391/C
Ø 100 X 125	H8	2391/C
Ø 110 X 130	H8	2391/C
Ø 110 X 140	H8	2391/C
Ø 115 X 130	H8	2391/C
Ø 120 X 140	H8	2391/C
Ø 120 X 150	H8	2391/C
Ø 125 X 145	H8	2391/C
Ø 125 X 150	H8	2391/C
Ø 130 X 160	H8	2391/C
Ø 140 X 160	H8	2391/C
Ø 140 X 165	H8	2391/C
Ø 140 X 170	H8	2391/C
Ø 150 X 170	H8	2391/C
Ø 150 X 180	H8	2391/C
Ø 160 X 180	H8	2391/C
Ø 160 X 190	H8	2391/C
Ø 180 X 210	H8	2391/C
Ø 200 X 220	H8	2448
Ø 200 X 230	H8	2391/C



Borular **ST 52,3** kalitesindedir.

**** Dünyadaki çelik hammadde fiyatları sürekli değişiklik arz ettiği için lütfen satış servisimizden fiyat teyidi alınız.**